

IN THE UNITED STATES DISTRICT COURT  
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA

CHARLESTON DIVISION

In Re: Ethicon Inc. Pelvic Repair  
System Products Liability Litigation

Master File No. 2:12-MD-02327  
MDL No.: 2327

THIS DOCUMENT RELATES TO:

JOSEPH R. GOODWIN  
U.S. DISTRICT JUDGE

LOEHR V. ETHICON, et al. 2:14-CV-19800

---

**CERTIFICATION OF COMPLIANCE WITH PTO 240**

I hereby certify that to the best of my information and belief, Campana, Hoffa, Morrone & Lovecchio, P.C., has supplied the information required per Pretrial Order 240 for the Plaintiffs in case no. 2:14-CV-19800 as follows:

1. Proof of product identification for Ethicon product(s) for which a claim is alleged; and
2. Operative reports demonstrating implantations, revisions and/or removals of Ethicon product(s) for which a claim is alleged.

CAMPANA, HOFFA, MORRONE & LOVECCHIO, P.C.

/S/ Robert A. Hoffa

Robert A. Hoffa, Esquire

Attorney ID No.: 36715

Attorney for Plaintiff

602 Pine Street, Williamsport, PA 17701

Phone: 570-326-2401

Fax: 570-326-3498

Email: [rhoffa@campanalaw.com](mailto:rhoffa@campanalaw.com)

Date: 11/14/2016